



ELSEVIER

Agricultural Water Management 44 (2000) 411–412

Agricultural
water management

www.elsevier.com/locate/agwat

Contents of *Agricultural Water Management*, Volume 44

VOL. 44 NOS. 1–3

MAY 2000

Special Issue: Pesticide Leaching Modelling Validation
A European Experience

Introduction	ix
A European test of pesticide-leaching models: methodology and major recommendations M. Vanclooster (Louvain-la-Neuve, Belgium), J.J.T.I. Boesten (Wageningen, Netherlands), M. Trevisan (Piacenza, Italy), C.D. Brown (Bedfordshire, UK), E. Capri (Piacenza, Italy), O.M. Eklo (Fellesbygget, Norway), B. Gottesbüren (Limburgerhof, Germany), V. Gouy (Lyon, France) and A.M.A. van der Linden (Bilthoven, Netherlands)	1
Movement of water, bromide and the pesticides ethoprophos and bentazone in a sandy soil: the Vredepeel data set J.J.T.I. Boesten and L.J.T. van der Pas (Wageningen, The Netherlands)	21
The Weiherbach data set: An experimental data set for pesticide model testing on the field scale I. Schierholz (Karlsruhe, Germany), D. Schäfer (Frankfurt am Main, Germany) and O. Kolle (Karlsruhe, Germany)	43
Lysimeter experiments with metolachlor in Tor Mancina (Italy) R. Francaviglia (Rome, Italy) and E. Capri (Piacenza, Italy)	63
Evaluating pesticide leaching models: the Brimstone Farm dataset G.L. Harris (Mansfield, UK), J.A. Catt, R.H. Bromilow (Harpenden, UK) and A.C. Armstrong (Mansfield, UK)	75
Comparison of the performance of pesticide-leaching models on a cracking clay soil: results using the Brimstone Farm dataset A. Armstrong (Mansfield, UK), K. Aden (Braunschweig, Germany), N. Amraoui (Orléans, Germany), B. Diekkrüger (Bonn, Germany), N. Jarvis (Uppsala, Sweden), C. Mouvet (Orléans, France), P. Nicholls (Harpenden, UK) and C. Wittwer (Orléans, France)	85
Application of pesticide simulation models to the Vredepeel dataset. I. Water, solute and heat transport M. Vanclooster (Louvain-la-Neuve, Belgium) and J.J.T.I. Boesten (Wageningen, Netherlands)	105
Application of pesticide leaching models to the Vredepeel dataset. II Pesticide fate A. Tiktak (Bilthoven, Netherlands).	119

Comparing and evaluating pesticide leaching models: results for the Tor Mancina data set (Italy)	
R. Francaviglia (Rome, Italy), E. Capri (Piacenza, Italy), M. Klein (Schmallenberg, Germany), J. Hosang (Basel, Switzerland), K. Aden (Limburgerhof, Germany), M. Trevisan and G. Errera (Piacenza, Italy).	135
Comparison of pesticide leaching models: results using the Weiherbach data set	
B. Gottesbüren, K. Aden (Limburgerhof, Germany), I. Bärlund (Helsinki, Finland), C. Brown (Bedford, UK), M. Dust (Jülich, Germany), G. Görlitz (Frankfurt am Main, Germany), N. Jarvis (Uppsala, Sweden), S. Rekolainen (Helsinki, Finland) and H. Schäfer (Leverkusen, Germany).	153
CRACK-NP: a pesticide leaching model for cracking clay soils	
A.C. Armstrong, A.M. Matthews, A.M. Portwood (Mansfield, UK), P.B. Leeds-Harrison (Bedford, UK) and N.J. Jarvis (Uppsala, Sweden).	183
Simulation of soil water, bromide and pesticide behaviour in soil with the GLEAMS model	
S. Rekolainen (Helsinki, Finland), V. Gouy (Lyon, France), R. Francaviglia (Rome, Italy), O.-M. Eklo (Ås, Norway) and I. Bärlund (Helsinki, Finland) . . .	201
Simulation of water and solute transport in field soils with the LEACHP model	
M. Dust (Forschungszentrum Jülich GmbH, Germany), N. Baran (Laon, France), G. Errera (Piacenza, Italy), J.L. Hutson (Adelaide, Australia), C. Mouvet (Orléans, France), H. Schäfer (Leverkusen/Bayerwerk, Germany), H. Vereecken (Forschungszentrum Jülich GmbH, Germany) and A. Walker (Warwick, UK) . . .	225
Sources of error in model predictions of pesticide leaching: a case study using the MACRO model	
N.J. Jarvis (Uppsala, Sweden), C.D. Brown (Bedford, UK) and E. Granitza (Frankfurt, Germany).	247
Comparing and evaluating pesticide leaching models. Results of simulations with PELMO	
M. Klein (Schmallenberg, Germany), J. Hosang (Basel, Switzerland), H. Schäfer (Leverkusen-Bayerwerk, Germany), B. Erzgräber and H. Ressler (Frankfurt, Germany).	263
Testing PESTLA using two modellers for bentazone and ethoprophos in a sandy soil	
J.J.T.I. Boesten (Wageningen, Netherlands) and B. Gottesbüren (Limburgerhof, Germany)	283
Simulation of pesticide leaching at Vredepeel and Brimstone farm using the macropore model PLM	
P.H. Nicholls (Herpenden, UK), G.L. Harris (Notts, UK) and D. Brockie (Herpenden, UK)	307
Modelling ethoprophos and bentazone fate in a sandy humic soil with primary pesticide fate model PRZM-2	
M. Trevisan, G. Errera (Piacenza, Italy), G. Goerlitz (Frankfurt am Main, Germany), B. Remy (Fleury les Aubrais, France) and P. Sweeney (Berkshire, UK)	317
Modeling pesticide dynamics of four different sites using the model system SIMULAT	
K. Aden (Limburgerhof, Germany) and B. Dieckrüger (Bonn, Germany)	337
Modelling pesticide leaching in a sandy soil with the VARLEACH model	
M. Trevisan, G. Errera (Piacenza, Italy), C. Vischetti (Perugia, Italy) and A. Walker (Warwick, UK).	357
Evaluation of pesticide dynamics of the WAVE-model	
M. Vanclooster (Louvain-la-Neuve, Belgium), S. Ducheyne (Leuven, Belgium), M. Dust (Nambenheim, France) and H. Vereecken (Jülich, Germany)	371
Modeller subjectivity in estimating pesticide parameters for leaching models using the same laboratory data set	
J.J.T.I. Boesten (Wageningen, Netherlands).	389
Contents of Agricultural Water Management, Volume 44.	411

